

```

1: #include <stdio.h>
2: #include <stdlib.h>
3: // Author: Kleanthis Thramboulidis
4:
5: // dilwseis sinartisewn
6: int getInt(char message[]);
7: float getFloat(char message[]);
8:
9: // dilwseis genikwn metavlitwn
10: int num1;
11: float fnum1;
12:
13: // Orismos kyrias sinartisis programmatos
14: int main(int argc, char *argv[]) {
15:     int num2=0; //local variable declaration
16:     float fnum2=0;
17:
18:     for(int i=0;i<10;i++)
19:         printf("hello");
20:     for(){
21:         if(){
22:
23:             }else {
24:                 for(){
25:                     while(){
26:                         num1=getInt("...:");
27:                     }
28:                     fnum1=getFloat("...:");
29:                 }
30:                 fnum2=getFloat("...:");
31:             }
32:             num2=getInt("...:");
33:             printf();
34:         }
35:     return 0;
36: }
37:
38: // orismoi loipwn synartisewn
39: int getInt(char message[]){
40:     int num=0; // dilwsi topikis metavlitis
41:
42:     printf();

```

```
43:     scanf();
44:     return num;
45: }
46:
47: float getFloat(char message[]){
48:     float fnum=0; // dilwsi topikis metavlitis
49:
50:     printf();
51:     scanf();
52:     return fnum;
53: }
```