

Αριθμός Μητρώου	Βαθμός
1094801	10,0
1069471	9,0
1094740	8,0

Guidelines to fill in the decision table data

Condition columns take range expression as their cell values

Range Option	Pattern
OPTION_BETWEEN	[&1..&2]
OPTION_CONTAINS_ANY	contains any &1
OPTION_CONTAINS_NOT_ANY	contains not any &1
OPTION_CONTAINS_NOT_ONLY	contains not only &1
OPTION_CONTAINS_NO_STRING	contains no string &1
OPTION_CONTAINS_ONLY	contains only &1
OPTION_CONTAINS_PATTERN	[&Pattern]
OPTION_CONTAINS_STRING	contains string &1
OPTION_EQUAL	=&1
OPTION_GREATER	> &1
OPTION_GREATER_EQUAL	>= &1
OPTION_LESS	< &1
OPTION_LESS_EQUAL	<= &1
OPTION_NOT_BETWEEN	<&1;>&2
OPTION_NOT_CONTAINS_PATTERN	[<>&pattern]
OPTION_NOT_EQUAL	<>&1
OPTION_INITIAL	is initial
OPTION_NOT_INITIAL	is not initial

Result columns take constant expression as their cell values

Result Column Type	Pattern
Text	&1
Number	NUMBER
Boolean	TRUE/FALSE
Amount	NUMBER CURRENCY
Quantity	NUMBER UNIT
Timepoint - Date Format	YYYY-MM-DD
Timepoint - Date Time Format	YYYY-MM-DDThh:mm:ss
Timepoint - Timestamp Format	YYYY-MM-DDThh:mm:ssZ
Timepoint - Time Format	Thh:mm:ss
Timepoint - Date Time with offset Format	YYYY-MM-DDThh:mm:ss[+ -]hh:mm

Example

[0..15]

contains any abc

contains not any abc

contains not only abc

contains no string abc

contains only abc

[pattern]

contains string abc

=abc

> 100

>=200

<100

<=200

<12;>50

[<>PATTERN]

<>abc

is initial

is not initial

Example

abc

123 , 200.50

TRUE,FALSE

100 USD

100 UNIT

1982-06-26

1982-06-26T10:10:10

1982-06-26T10:10:10Z

T10:10:10

1982-06-26T10:10:10+10:00