ΙΑΤΡΙΚΗ ΣΧΟΛΗ ΠΑΝΕΠΙΣΤΗΜΙΟΥ ΠΑΤΡΩΝ ΑΠΑΡΤΙΩΣΗ 2020 <u>ΑΣΘΕΝΗΣ ΤΕΛΙΚΟΥ ΣΤΑΔΙΟΥ- ΟΓΚΟΛΟΓΙΑ</u>



Ακτινολογική διαγνωστική προσέγγιση ασθενούς με καρκίνο

3.11.2020

Π. Κρανιώτης



Διαγνωστικοί Χειρισμοί

- 1. Πρώιμη διάγνωση (screening) Ca πνεύμονα (Low dose CT)
- 2. Σταδιοποίηση της νόσου
- 3. Διαδερμική βιοψία (ιστολογική ταυτοποίηση)
- 4. Ανταπόκριση στην θεραπεία

1. Πρώιμη διάγνωση Ca πνεύμονα (Screening test)

- ✓ Low dose CT= Χαμηλής Δόσης Αξονική Τομογραφία θώρακος.
- ✓ Εφαρμόζεται σε ασθενείς «Υψηλού κινδύνου» :
- Καπνιστές >50έτη >30 pack/yrs

The American Association for Thoracic Surgery guidelines

Annual lung cancer screening with low-dose computed tomography screening for North Americans from age 55 to 79 years with a 30 pack-year history of smoking.

Long-term lung cancer survivors should have annual low-dose computed tomography to detect <u>second</u> primary lung cancer until the age of 79 years.

Low dose CT

✓ Ισοδύναμη δόση: 0.4-0.6 mSv

√ Δόση α/α θώρακος: 0.1mSv F 0.25mSv P

Class I <0.3 mSv
Class II >0.3 mSv

Low dose CT vs α/α θώρακα


	Low dose	CT a	/α θώρακα
Ευαισθησία	3		1
Ανάδειξη Ca πνεύμονα	4		1
Ανάδειξη stage I Ca πνε	ύμονα 6		1


Αποτελέσματα Low Dose CT

1000 ασθενείς:

- 1.5%: Ca πνεύμονα
- 70%: stage IA→5ετής επιβίωση μετά χειρουργείο:80%

"Κρυμμένες Βλάβες"






Τύπου θολής υάλου


"Κρυμμένες Βλάβες"





Όπισθεν κλείδας

"Κρυμμένες Βλάβες"






Βλάβες που βρίσκονται κοντά στην πύλη

Χαρακτήρες οζιδίων

- 1. Μορφολογία του οζιδίου
- 2. Μεταβολή του μεγέθους (Volume) του όγκου
- 3. Αιμοδυναμικοί χαρακτήρες του όγκου



Lung nodule analysis

Αποτιτανώσεις-υπέρ καλοήθειας

BENIGN PATTERNS OF CALCIFICATION

- Κεντρική
- **Συγκεντρική**
- Ποπκορν
- Διάχυτη










INDETERMINATE PATTERNS OF CALCIFICATION





SMALL FLECKS

Lung nodule analysis

Αιμοδυναμικοί χαρακτήρες του όγκου

Μεταβολή της πρόσληψης >15 HU

Lung nodule analysis


Pulmonary nodules <u>≤4 mm have a low risk of being cancerous</u>;

• nodules between 4-8 mm are of intermediate risk for cancer; follow up CT scans for both categories are recommended on different schedules

- Pulmonary nodules >8 mm and mixed solid/ground glass nodules are suspicious for cancer;
- percutaneous needle aspiration biopsy (PNAB),
- -positron emission tomography (PET),
- -video assisted thoracic surgery (VATS) should be considered

Μορφολογία του οζιδίου

- Καλοήθη =
 στρογυλλά και με ομαλά-σαφή όρια
- Κακοήθη=
 λοβωτά, ακανόνιστα όρια, ακτινοειδείς προσεκβολές.




2. Σταδιοποίηση Ca πνεύμονα


Σταδιοποίηση Ca πνεύμονα

Imaging Modalities

- Chest Radiography
- Computed tomography (CT)
- Magnetic resonance imaging (MRI)
- PET-CT




Σταδιοποίηση Ca πνεύμονα



Περιορισμένο Ca





Εκτεταμένο μικροκυττταρικό-μόνο Chemo

- √ Όγκος → T status: Accuracy → 65%
- T1→ <3cm
- Τ2 → >3cm/διήθηση κύριου βρόχου >2 εκ από τρόπιδα/διήθηση υπεζωκότα/αποφρακτική πνευμονίτιδα-αταλεκτασία αλλα όχι όλου του πνευμονα.
- Τ3→ κάθε μεγέθους, που διηθεί τοίχωμα-διάφραγμα, υπεζωκότα, περικάρδιο/διήθηση κύριου βρόχου <2 εκ από τρόπιδα/αποφρακτική πνευμονίτιδα-αταλεκτασία αλλα όχι όλου του πνευμονα.
- Τ4 → κάθε μεγέθους, που διηθεί μεσοθωράκιο, καρδιά, μεγάλα αγγεία, τραχεία, οισοφάγο, τρόπιδα, σπόνδυλο ή με δορυφόρα οζίδια
- · ΑΤ→ υστερεί στην διήθηση μεσοθωρακίου και τοιχώματος θώρακα.




Sensitivity and specificity for diagnosing chest wall or aorta invasion using CT were 38-70% and 40-70%, respectively


 ΑΤ→ υστερεί στην διήθηση μεσοθωρακίου και τοιχώματος θώρακα.

MDCT in staging lung cancer

: The role of MPR images







- No evidence of improvement of T and N staging using MDCT for lung cancer
- Role of multiplanar image reconstruction help in assessing fissure or diaphragm invasion

 $\sqrt{\frac{\Lambda εμφαδένες}{} N status: χαμηλή ευαισθησία της AT <math>\rightarrow$ (57-75%)

- · N1 -> ομόπλευροι περιβρογχικοί και/ή πυλαίοι
- N2→ομόπλευροι μεσοθωρακικοί και ή υποτροπιδικοί
- N3→ ετερόπλευροι μεσοθωρακικοί, πυλαίοι, ομόπλευροι ή ετερόπλευροι σκαληνοί ή υπερκλείδιοι.

Λεμφαδένες >1 εκ στον βραχύ άξοναΘεωρούνται παθολογικοί.

Liver

Adrenal

Bone

Brain

- ✓ MRI Τοπική επέκταση
- ✓ Διήθηση μεσοθωρακίου, θωρακικού τοιχώματος, διαφράγματος, σπονδυλικών σωμάτων
- ✓ MRI=CT
- ✓ Ανάδειξη λεμφαδένων

- ✓ MRΙ μεταστάσεις
- ✓ Ανάδειξη meta σε εγκέφαλο, ήπαρ, επινεφρίδια

Usefulness of MRI for evaluation of cardiovascular invasion: evaluation of sliding motion between thoracic mass and adjacent structures on cine MR images



Results: the accuracy for the cine MRI images was 94.4%(51/54) for evaluating cardiovascular invasion of a thoracic mass.

Evaluation of chest wall invasion by lung cancer using respiratory dynamic MRI

Table 1.	Chest wall invasio	n, RD MRI	versus	pathology
----------	--------------------	-----------	--------	-----------

	Pathological results: invasion	Pathological results: no invasion	Total
RD MRI: invasion	20	7	27
RD MRI: no invasion	0	34	34
Total	20	41	61

RD, respiratory dynamic.

Sensitivity: 20/20 (100%), Specificity: 34/41 (82.9%)

The role of PET-CT in NSCLC

TABLE 5
Overall Staging at CT and Integrated PET/CT in Patients with Lung Cancer

Modality	Stage I	Stage II	Stage III	Total
	(n = 71)	(<i>n</i> = 18)	(<i>n</i> = 17)	(<i>n</i> = 106)
CT	47 (66)	14 (78)	9 (53)	70 (66)
Integrated PET/CT	63 (89)	17 (94)	12 (71)	92 (87)

Note.—Numbers denote patients. Numbers in parentheses are percentages.

integrated FDG PET/CT is significantly better than stand-alone CT for lung cancer staging and provides enhanced accuracy and specificity in nodal staging.

FDG-PET/CT vs 3T MRI

Non-small cell lung cancer staging: Comparison of PET/CT versus 3T MRI

Accuracy	PET-CT	MRI	P value
T stage	82% (101/123)	86% (106/123)	P = .263
N stage	70% (105/150)	68% (102/150)	P = .880
M stage	86% (133/154)	86% (132/154)	P > .99








Both PET/CT and 3.0-T whole-body MR imaging appear to provide acceptable accuracy and comparable efficacy for NSCLC staging.

Whole-body MR imaging was more useful for detecting brain and hepatic metastases, whereas PET/CT was more useful for detecting lymph node and soft-tissue metastases.

3. Ιστολογική Ταυτοποίηση Ca Πνεύμονα με Διαδερμική Βιοψία υπό Αξονική Τομογραφία









20G/9cm/10T









Adenocarcinoma H&E

Αδενοκαρκίνωμα: Ανοσο-ιστοχημικοί Δείκτες





Cytokeratin 19

Ki67 (cell proliferation)

Αποτελέσματα διαδερμικής βιοψίας πνεύμονα

• Ακρίβεια:>90%

- Πνευμοθώρακας:15%
- Ενδοπνευμονική αιμορραγία:3%

3. Ανταπόκριση στη θεραπεία

Response Evaluation Criteria in Solid Tumors - RESIST

Measurability of Tumor Lesion at Baseline

Measurable lesions:

Lesions that can be accurately measured in at least one dimension conventional techniques ≥ 20 mm; spiral CT scan ≥ 10 mm

- Target lesions
- Non-target lesions
- Non-measurable lesions:

All other lesions, including the longest diameter < 20 mm using conventional techniques or < 10 mm using spiral CT scan, and the truly non-measurable lesions

Evaluation of target lesion

- Complete Response (CR)
 - disappearance of all target lesions
- Partial Response (PR)
 - at least a 30% decrease in the sum of LD of target lesions
- Progression (PD)
 - at least a 20% increase in the sum of LD of target lesions or the appearance of one or more new lesions
- Stable Disease (SD)
 - neither sufficient shrinkage to qualify for PR nor sufficient increase

How it works

3D Tumor Evaluation

The most important role for CT in Oncology is the follow-up of tumors to evaluate if the tumor is growing or shrinking and whether the therapy was effective or not. Therefore, accuracy and reproducibility are key factors in tumor assessment.

RECIST*

To evaluate tumor growth, RECIST is the established standard. The basis of RECIST is the measurement of the longest tumor diameter on an axial slice. However, the correlation between tumor size and the measured diameter is not always clear. Additionally, variations in results can occur when the measurements are done manually or are performed by different readers. syngo CT Oncology reduces the variations in results by automatically choosing the slice with the maximum diameter and applying a constant technique to determine the RECIST diameter.

 RECIST – Response Evaluation Criteria in Solid Tumors, syngo CT Oncology considers RECIST version 1.0

WHO

The WHO criteria suggest two measurements for better accuracy, the longest and the widest perpendicular diameters.

Volume measurement

High accuracy for measurements of tumor size and growth rate can be achieved when measuring the tumor volume. syngo CT Oncology automatically measures the tumor volume by calculating the space that is enclosed within the segmented tumor. This also leads to a high reproducibility of measurements, because inter-reader or intra-reader variations at eliminated.

Evaluation criteria to assess tumor response to therapy







- Tumor shape before therapy
- Tumor shape after therapy
- Reduction in diameter and volume respectively

ΣΥΜΠΕΡΑΣΜΑ


Ο ακτινολογικός έλεγχος έχει σημαντική θέση στο Ca του πνεύμονα και συμβάλλει:

- ✓ στην πρώιμη διάγνωση
- ✓ στην ιστολογική ταυτοποίηση
- √στη σταδιοποίηση της νόσου
- ✓ Follow-up

II

Hepatocellular carcinoma (HCC) is the most common primary malignancy of the liver. It is strongly associated with cirrhosis, from both alcohol and viral aetiologies. HCC constitutes approximately 5% of all cancers partly due to the high endemic rates of hepatitis B infection 1.

HCC



Arterially-enhancing liver segment 4a mass with washout on delayed phases.

HCC

Gadoxetate disodium (also known by the tradenames PrimovistTM and EovistTM) is a hepatospecific paramagnetic gadolinium-based contrast agent, used exclusively in MRI liver imaging. Its chief use is in hepatic lesion characterisation, i.e. assessing focal liver lesions identified on other imaging studies.


-linear, ionic molecule

HCC


Gadobenate dimeglumine (also known as MultiHanceTM) is an extracellular intravenous contrast agent used in magnetic resonance imaging.

linear, ionic molecule

MRI ηπατοειδικά σκιαγραφικά



MRΙ ηπατοειδικά σκιαγραφικά




Rev Gastroenterol Mex. 2015;80:267-75






Apple-core Appearance of the Colon








MT. Nienzjaa Cases from Prof. Saeed Rad , Tabriz, Iran

















Μεταστασεις

Radiographic features

One of the main difficulties in liver imaging for metastatic disease is the high prevalence of benign liver lesions that can be misinterpreted as evidence of metastatic disease, thus dramatically changing a patients stage, and therefore treatment options. Liver haemangiomas, and to a lesser degree focal nodular hyperplasia (FNH), are the main sources of confusion 3. Additionally, pseudolesions (e.g. transient hepatic attenuation differences (THADs), focal fatty sparing / focal fatty change) may further muddy the waters. Therefore, an understanding of the various appearances of metastatic disease is crucial.

Μεταστασεις

CT

Liver metastases are typically hypoattenuating on unenhanced CT, enhancing less than surrounding liver following contrast 1. If there is concomitant hepatic steatosis, then the lesions may be iso- or even slightly hyperattenuating. Enhancement is typically peripheral, and although there may be central filling in, on portal venous phase, the delayed phase will show washout; helpful in distinguishing a metastasis from a haemangioma 1. Some primaries have a tendency to produce hyperenhancing metastases, including renal cell carcinoma, thyroid carcinoma, neuroendocrine tumours, etc (see hypervascular liver lesions).

Μεταστασεις

W 400 : L 40 W 400 : L 40

Μεταστασεις-DWI





Fig. 1—Diffusion of water molecules.

A, Restricted diffusion: cellularity and intact cell membranes. Drawing represents 1 voxel of tissue evaluated by diffusion-weighted imaging (DWI) containing cells and blood vessel. Note water molecules (black circles with arrows) within extracellular space, intracellular space, and intravascular space, all of which contribute to measured MR signal. In this highly cellular environment, water diffusion is restricted because of reduced extracellular space and by cell membranes, which act as barrier to water movement.

B, Free diffusion: low cellularity and defective cell membranes. In less cellular environment, relative increase in extracellular space allows freer water diffusion than more cellular environment would. Defective cell membranes also allow movement of water molecules between extracellular and intracellular spaces.

Μεταστασεις-DWI



Υπεραγγειούμενες Μεταστασεις

MRI-CT

- -Melanoma
- -Renal cell carcinoma
- -Islet cell carcinoma(Neuroendocrine tumors of Pancreas
- -Choriocarcinoma
- -Thyroid carcinoma

Ca ορθου

Rectal cancers, although sharing many of the features of generic colorectal carcinoma (CRC), has different preoperative imaging assessment, with MRI rectum as the mainstay for local staging, and distinct surgical techniques (i.e. total mesorectal excision).

Ca ορθου

Radiographic features

Although CT can make the diagnosis in more advanced cases, due to better soft-tissue contrast, MRI has become the fundamental imaging modality for evaluation and staging.

Endorectal ultrasound also has a role in the staging, particularly for assessment and differentiation between T1 and T2 disease, but is not commonly performed by a radiologist.


MRI may be performed for:

diagnosis and/or locoregional staging

helps evaluate which patients may benefit from neoadjuvant therapy (usually <u>stage II and III</u>) and for evaluating poor prognostic factors helps surgical planning

assessment of the effectiveness/response of neoadjuvant therapy monitoring for recurrence post-therapy

Ca ορθου Τ3 σταδιο




RCC-hypernephroma-Grawitz

```
clear cell renal carcinoma (conventional): 70-80%
   arises from proximal convoluted tubules
    large uniform cells with clear cytoplasm (thus
    the name and T2 appearance (see below)
    highly vascular
   subtype: clear cell multilocular renal cell
    carcinoma
papillary renal cell carcinoma: 13-20%
    arises from distal convoluted tubules
    can be multifocal and bilateral
    most common form in dialysis-associated RCC
       type I: sporadic, generally good
        prognosis 4
        type II: inherited, bilateral and multifocal
```

Clear cell carcinoma



Papillary cell carcinoma




Papillary cell carcinoma





Papillary cell carcinoma








Bosniak I

Bosniak II

Bosniak IIF








Bosniak IV

Description	Features	Workup	%malignant	
1	Simple cyst	Anechoic, imperceptable wall, round	Nil	-0
2	Minimally complex	single thin septation, thin Ca++	NII	~0
2F	Minimally complex - needing followup	thin septation, thick Ca++, hyperdense on CT*	US or CT followup	5%
3	Indeterminate	thick or multiple septations, mural nodule, hyperdense on CT*	partial nephrectomy**	50%
4	Clearly malignant	solid mass with cystic spaces	surgery (partial / total nephrectomy)**	~100%

- * for a hyperdense cyst on CT to be 2F needs to meet the following criteria:
 - <3cm diameter
 - at least 1/4 of its wall needs to be seen (therefore needs to be exophytic)
 - no enhancement
- ** increasingly RF abiation is an alternative in the elderly / poor surgical risk.











Εντός εκκολπωματος της ουροδοχου κυστης


Cannonball metastases refer to multiple large, well-circumscribed, round <u>pulmonary</u> metastases that appear not unsurprisingly like cannonballs. The French terms "envolée de ballons" and "lâcher de ballons", which translate to "balloons release", are also used to describe this same appearance. Metastases with such an appearance are classically secondary to 1,2: renal cell carcinoma choriocarcinoma Or less common primary tumours: prostate carcinoma² endometrial carcinoma² synovial sarcoma 3 adrenal carcinoma 4

Cannonball mets-RCC



Random pattern

Cannonball mets-RCC



Random pattern

Σας Ευχαριστώ για την Προσοχή σας